

Muftë me raport 2/1, RSFR-H, fsibel, zjarrdruues


-55 +125

Gjendje normale Diametri Brendshëm	Pas tkurrjes		Paketimi	Kodi	Çmimi (lekë/metër)
	Diametri Brendshëm	Trashësia e murit	Rulon (meter)		
1.0	0.65	0.30	200	MFE010	
1.5	0.85	0.35	200	MFE015	
2.0	1.00	0.35	200	MFE020	
2.4	1.20	0.38	200	MFE025	
3.0	1.50	0.38	200	MFE030	
3.5	1.75	0.40	200	MFE035	
4.0	2.00	0.45	200	MFE040	
4.5	2.60	0.45	100	MFE045	
5.0	2.60	0.47	100	MFE050	
6.0	3.00	0.55	100	MFE060	
7.0	3.50	0.55	100	MFE070	
8.0	4.00	0.60	100	MFE080	
9.5	4.80	0.60	100	MFE100	
12.7	6.50	0.65	100	MFE130	
16.0	8.00	0.75	100	MFE160	
19.0	10.00	0.80	100	MFE190	
25.5	12.00	0.95	50	MFE255	
30.0	15.00	0.95	50	MFE300	

Muftë me raport 2/1, SBRS-(2X) G fsibel, zjarrdruues


-55 +125

Gjendje normale Diametri Brendshëm	Trashësia	Pas tkurrjes		Paketimi	Kodi	Çmimi (lekë/metër)
		Trashësia e adesivit	Trashësia e murit	Rulon (metër)		
1.50	0.80	0.60±0.15	0.30±0.1	200	MF*015	
2.50	1.20	0.70±0.15	0.35±0.1	200	MF*025	
3.20	1.60	0.70±0.15	0.35±0.1	200	MF*032	
4.80	2.40	0.80±0.15	0.40±0.1	100	MF*048	
6.40	3.20	0.80±0.15	0.40±0.1	100	MF*064	
7.00	3.50	0.90±0.15	0.45±0.1	100	MF*070	
9.50	4.80	0.90±0.15	0.45±0.1	50	MF*095	
13.0	6.40	0.95±0.20	0.45±0.1	25	MF*130	
16.0	7.90	0.95±0.20	0.45±0.1	25	MF*160	

Mufte me raport 2/1, RSFR-(2X) YG, fsibel, zjarrdurues


-55 +125

Gjendje normale		Pas tkurrjes		Paketimi	Kodi	Çmimi (lekë/metër)
Diametri Brendshëm	Diametri i brendshëm	Trashësia e adesivit	Trashësia e murit	Rulon (metër)		
2.40	1.20	0.28±0.15	0.35±0.10	200	MFE024VJ	
3.20	1.60	0.30±0.15	0.38±0.10	200	MFE032VJ	
4.80	2.40	0.70±0.15	0.45±0.10	200	MFE048VJ	
6.40	3.20	0.80±0.15	0.50±0.10	100	MFE064VJ	
9.50	4.80	0.80±0.15	0.55±0.10	100	MFE095VJ	
13.0	6.50	0.90±0.15	0.60±0.10	100	MFE130VJ	
16.0	8.00	0.90±0.15	0.70±0.10	50	MFE160VJ	
20.0	10.0	0.95±0.20	0.75±0.10	25	MFE200VJ	
25.0	13.0	0.95±0.20	0.90±0.10	25	MFE250VJ	
32.0	16.0	0.95±0.20	0.95±0.10	25	MFE320VJ	

Mufte me raport 3/1, SBRSM-NF, super rezistent ndaj ujit, lageshtires dhe demtuesve te tjere


-45 +125


Gjendje normale		Pas tkurrjes			Paketimi	Kodi	Çmimi (lekë/metër)
Diametri Brendshëm	Diametri brendshëm	Trashësia e Veshjes	Trashësia adezivit	Trashësia e murit	Rulon (metër)		
3.2	1.00	1.10±0.10	0.50	1.60±0.10	200	MF00301	
4.8	1.50	1.20±0.10	0.50	1.70±0.10	100	MF00502	
6.4	2.00	1.30±0.10	0.50	1.80±0.10	100	MF00602	
9.5	3.00	1.70±0.15	0.60	2.30±0.15	50	MF00903	
12.0	4.00	2.00±0.20	0.80	2.80±0.20	1.22	MF01204	
16.0	5.00	2.20±0.20	0.80	3.00±0.20	1.22	MF01605	
19.0	6.00	2.30±0.20	0.80	3.10±0.20	1.22	MF01906	
28.0	9.00	2.40±0.20	1.05	3.45±0.20	1.22	MF02809	
33.0	10.00	2.50±0.20	1.05	3.55±0.20	1.22	MF03310	
40.0	12.00	2.50±0.20	1.05	3.55±0.20	1.22	MF04012	
44.0	14.00	2.50±0.20	1.05	3.55±0.20	1.22	MF04414	
52.0	18.00	2.50±0.20	1.05	3.55±0.20	1.22	MF05218	
70.0	25.00	3.00±0.30	1.35	4.35±0.30	1.22	MF07025	
90.0	30.00	3.00±0.30	1.35	4.35±0.30	1.22	MF09030	
115.0	35.00	3.00±0.30	1.35	4.35±0.30	1.22	MF11535	


Kabull klas F, 155°C, LEV 160, pa halogen

Seksioni mm ²	Diametri mm ±0.1	Numri i telave	Tensioni Nominal (V)	Paketimi (metër)	Çmimi (lekë/metër)
0.75	2.4	24x0.20	300/500	300	
1.00	2.5	32x0.20	300/500	300	
1.50	2.8	30x0.25	300/500	300	
2.50	3.4	50x0.25	300/500	200	
4.00	4.2	56x0.30	300/500	100	
6.00	5.2	48x0.40	300/500	100	

GWEST


Emerues teli, mbeshjtjelles spiral, mantel i endur për kabull



Kodi	Percjelles	Gjeresia e Kokes	Çmimi
EC0	1.5-2.5 mm	0	
EC1	1.5-2.5 mm	1	
EC2	1.5-2.5 mm	2	
EC3	1.5-2.5 mm	3	
EC4	1.5-2.5 mm	4	
EC5	1.5-2.5 mm	5	
EC6	1.5-2.5 mm	6	
EC7	1.5-2.5 mm	7	
EC8	1.5-2.5 mm	8	
EC9	1.5-2.5 mm	9	


Mantel i endur për kabull

Seksioni Nominal (mm)	Zgjerimi max	Tkurrja min	Paketimi (metër)	Çmimi (lekë/metër)
6	9	3	100	
10	19	7	100	
12	24	8	100	
15	27	10	100	
20	30	14	100	
25	35	18	100	


Mbeshjtjellës spiral kabulli

Seksioni Nominal (mm)	O.D. (mm)	W mm	T mm	Paketimi (metër)	Çmimi (lekë/metër)
2.5-15	6	7.4	0.60	10	
6-30	8	12	0.75	10	
7.5-30	10	12.3	0.80	10	
9-32	12	15	0.85	10	
12-35	15	15.5	1.00	10	